

LEARN MORE ABOUT + OUR PRODUCTS



www.peli.com



AVAILABLE IN 18 LANGUAGES!

www.pelicatalogue.com



www.peli.com/webinars



EMEA

EUROPE, MIDDLE EAST & AFRICA HEADQUARTERS

PELI PRODUCTS, S.L.U.
C/ Provença, 388 Planta 7
08025 • Barcelona, Spain
Tel +34 934 674 999
Fax +34 934 877 393
www.peli.com

FRANCE

PELI PRODUCTS FRANCE
S.A.S.
20/22 Rue des Petits Hôtels
75010 Paris, France
Tel +33 (0)1 44 83 95 63
Fax +33 (0)1 44 83 95 68
www.peli.com

UK

PELI HARDIGG UK
Unit 4, Brookfield Industrial Estate
Leacon Road
Ashford Kent TN23 4TU
Tel + 44 (0) 1233 895 895
Fax +44 (0) 1233 895 899
www.peli.com

U.S.A.

U.S.A. & GLOBAL HEADQUARTERS

23215 Early Avenue
Torrance, CA 90505 USA
Tel 310.326.4700
800.473.5422 (Outside CA)
Fax 310.326.3311
www.pelican.com

GERMANY

PELI PRODUCTS GERMANY GmbH
Düsseldorf Kö-Bogen
Business Center
Königsallee 2b, 5th Floor
40212 Düsseldorf, Germany
Tel +49 (0) 211 882 42 401
Fax +49 (0) 211 882 42 200
www.peli.com

UAE

PELICAN PRODUCTS FZE
JAFZA One Building A office 1511/1512
Jebel Ali Free Zone gate 5
P.O.Box 261008
Dubai – United Arab Emirates
Tel +971 4 8876550
Fax +971 4 8876549
www.pelican.com

PELICAN HARDIGG

147 North Main Street
South Deerfield, MA 01373
Tel (800) 542 73 44
Fax (413) 665 8330
www.pelican.com

* We also have offices in Canada, Japan, China, Australia, South Korea and India

INJECTION MOULDED CASES - PELI LIMITED LIFETIME* GUARANTEE

Peli Products, S.L.U. ("Peli") guarantees its injection moulded products for a lifetime* against breakage or defects in workmanship. Peli™ injection moulded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. To the extent permitted by law, Peli's liability is limited to the case and not its contents or foam. All warranty claims of any nature are barred if the case has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

For complete warranty details, see www.peli.com/warranty


* Lifetime Guarantee not applicable where prohibited by law.

Distributed by:

Follow us on:



©2018 Peli Products, S.L.U. All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates. All details included in this catalogue are correct when printed but for most updated information please visit www.peli.com and www.pelicatalogue.com.
Part No. 0030-STM-001E JUN 18



CATALOGUE
PELI™ STORM CASES

JUNE 2018



DEPUIS 1976

Uros Podlogar




LIFETIME GUARANTEE*



Bertrand Delapierre, Director of extreme adventure films

TABLE + OF CONTENTS

FEATURES	3
PROTECTION SOLUTIONS	4-5
PELI STORM CASES	
Small Cases	6
Medium Cases	7-8
Large Cases	9-10
Case Accessories	10-11
Storm Case Specifications	11

 Look for this icon for wheels on selected models.



FEATURES

+ PRESS & PULL™ LATCHES

These smooth-opening, patented latches hold tight under pressure and impact with easy-opening performance. Tested to over 180 kg (400lbs.), yet open with a simple release button.



+ MOULDED-IN LOCKABLE HASPS

Twin mating hasp holes on the rim of the case allow attachment of padlocks to keep your gear in and thieves out. And check out Pelican's TSA approved cable padlock. Now you can check-in your luggage with confidence while flying. The Travel Security Agency has the key, and you have the combination.



+ DOUBLE-LAYER, SOFT-GRIP HANDLES



When the weather goes south you'll find a secure grip that won't slip. An in-tool vulcanizing process over-moulds the grips to the polymer handle for a lifetime of dependable performance.

+ VORTEX® PRESSURE RELEASE VALVE

The built-in technology of Pelican Storm Cases automatic pressure equalisation valve is also a patented feature. During air travel it prevents vacuum lock to make opening the case natural, even after extreme altitude changes. At the same time, the microscopic filter blocks water molecules and dust particles so your gear stays clean in the Gobi Desert and dry on the Nile River.



+ RUGGED IN-LINE WHEELS



Shielded from dust, dirt and other contaminants – ball bearing wheels provide low-friction, low-drag rolling with retractable handles for easy movement of heavy loads.

+ TESTED

The Pelican™ Case design is the result of multiple generations of refinement. This evolution is proven through a battery of rigorous lab tests including drop, vibration, leak, heat and dust tests.



Pelican™ Case shown



Peli™ Case shown


PELI™ STORM CASE PROTECTION SOLUTIONS

Peli™ Storm Cases are available empty or with any of the following protection solutions.

+ PICK N PLUCK™ FOAM

An easy, do-it-yourself system for the interior of the case. Layers of foam are pre-scored in 1,27 cm or 2,54 cm cubes. Simply lay your equipment on the foam, tape or chalk to mark the foam, and pluck away. Always allow at least 2,5 cm of foam between your equipment and the case wall.

The following cases ship with solid foam instead of Pick N Pluck™ Foam: iM3100, iM3200, iM3220, iM3300, iM3410



+ TREKPAK™ DIVIDERS*

The TrekPak™ system uses pre-installed wall sections, divider panels, locking pins and an infallible cutting tool. Just lay your gear in the case, measure and cut the divider sections and lock them in place with the steel U-pins.

* Trekpak™ is available for the following models: iM2200, iM2300, iM2400, iM2450, iM2500, iM2600, iM2620, iM2720, iM2950



+ CUSTOM FOAM SOLUTIONS

Custom foam and extreme solutions such as deck mount suspension systems will keep your delicate items protected on the inside.



+ BEZEL KITS



Many Peli™ Storm cases can be adapted for use with electronic interface panels by using a Bezel Kit. Pre-drilled holes and stainless steel screws make fabricating a custom case a fast and accurate proposition.

A polymer o-ring seals the panel so the base of the case remains watertight, even with the lid open.



- O-ring
- Bezel Kit
- Attachment Hardware

CASE CONTENTS NOT INCLUDED

+ LID ORGANISERS

Made of simulated leather or ballistic nylon with nylon zippers. A wide variety of pocket sizes protect and keep your gear organised. They install easily with Velcro® strips (included).



LID ORGANISERS OPTIONS			
CASE	PHOTOGRAPHER'S ORGANISER	LID ORGANISER	UTILITY ORGANISER
iM2300	iM24XX-PHOTO PALLET	iM2300-LIDORG	
iM2370			iM2370-UTILITYORG
iM2400	iM24XX-PHOTO PALLET	iM24XX-LIDORG	
iM2435		iM2435-DIV-LIDORG	
iM2450	iM24XX-PHOTO PALLET	iM24XX-LIDORG	
iM2500			iM2500-UTILITYORG
iM2600		iM26XX-LIDORG	iM26XX-UTILITYORG
iM2620		iM26XX-LIDORG	iM26XX-UTILITYORG
iM2700			iM27XX-UTILITYORG
iM2720			iM27XX-UTILITYORG
iM2750			iM27XX-UTILITYORG
iM2875			iM2875-UTILITYORG
iM2950			iM29XX-UTILITYORG
iM2975			iM29XX-UTILITYORG
iM3075			iM3075-UTILITYORG

Present an array of compartments including an assortment of elastic strapping and mesh nylon zipper pockets to house, protect, and organise your gear.

Are styled with deep expandable folder pockets and sleeves for various office attaché style components.

Offer various folder pockets, sleeves, and include a vast array of mesh nylon zipper pockets to house, protect, and organise gear.

Lid Organisers are installed with Velcro® (included)

+ ELECTRONIC INSTALLATIONS

Peli™ Storm Case allows customisation for electronics. The copolymer material can be machined, drilled and sanded smooth. This makes the Peli™ Storm Case suitable for use with bulkhead connectors.



Peli™ Case shown. This picture only serves to illustrate the application.

CASE CONTENTS NOT INCLUDED

+ PADDED DIVIDERS

An alternative to Peli™ foam is our optional Padded Divider Sets. The compartments are connected with Velcro® so you can easily change the configuration according to your needs.



PADDED DIVIDER OPTIONS		
CASE	LAYERS	DIVIDER SET ONLY
iM2050	1	iM2050-DIV
iM2075	1	iM2075-DIV
iM2100	1	iM2100-DIV
iM2200	1	iM2200-DIV
iM2300	1	iM2300-DIV
iM2306	1	iM2306-DIV
iM2370	1	iM2370-DIV
iM2400	1	iM2400-DIV
iM2450	1	iM2450-DIV
iM2500	1	iM2500-DIV
iM2600	1	iM2600-DIV
iM2620	1	iM2620-DIV
iM2700	1	iM2700-DIV
iM2720	1	iM2720-DIV
iM2750	2	iM2750-DIV
iM2875	1	iM2875-DIV
iM2950	1	iM2950-DIV
iM2975	2	iM2975-DIV
iM3075	2	iM3075-DIV

+ WE CUSTOMISE YOUR LOGO

Personalise your case with your company logo or have your name engraved on the nameplate. Logos can be applied in multiple colours as a Mylar® decal or as a vibrant fade-resistant, scratch-resistant hot-stamped ink.



PELI™ STORM

SMALL CASES

Perfect for small gear and instruments with all the features found in larger cases: strong HPX™ resin construction, Vortex™ valve, and Press & Pull™ latches.

iM2050 CASE Similarly sized Peli Case: 1200

INTERNAL DIMS:
24.1 x 19 x 10.8 cm
(9.50" x 7.50" x 4.25")

EXTERNAL DIMS:
30 x 24.9 x 11.9 cm
(11.80" x 9.80" x 4.70")

LID/BOTTOM DEPTH:
3.8 cm / 7 cm (1.50" / 2.75")

WEIGHT:
1.36 kg (3 lbs.) WITH FOAM
1.22 kg (2.7 lbs.) NO FOAM



iM2050GP1 Similarly sized Peli Case: 1200

INTERNAL DIMS:
24.1 x 19 x 10.8 cm
(9.50" x 7.50" x 4.25")

EXTERNAL DIMS:
30 x 24.9 x 11.9 cm
(11.80" x 9.80" x 4.70")

LID/BOTTOM DEPTH:
3.8 cm / 7 cm (1.50" / 2.75")

WEIGHT:
1.36 kg (3 lbs.) WITH FOAM
1.22 kg (2.7 lbs.) NO FOAM



Holds 1 GoPro® camera and accessories



PELI™ STORM

MEDIUM CASES

From firefighters, EMTs, outdoor enthusiasts, and law enforcement to industrial engineers and photographers, there's a Peli™ Storm Case™ for every professional. Built strong in three standard configurations: Pick N Pluck™ foam, padded dividers (on selected models) or empty.

iM2200 STORM CASE Similarly sized Peli Case: 1450

INTERNAL DIMS:
38.1 x 26.7 x 15.2 cm
(15.00" x 10.50" x 6.00")

EXTERNAL DIMS:
41.1 x 32.2 x 16.8 cm
(16.20" x 12.70" x 6.60")

LID/BOTTOM DEPTH:
5.1 cm / 10.2 cm (2.00" / 4.00")

WEIGHT:
2.77 kg (6.1 lbs.) WITH FOAM
2.22 kg (4.9 lbs.) NO FOAM



iM2275 STORM CASE

INTERNAL DIMS:
35.9 x 33.5 x 25.1 cm
(14.12" x 13.19" x 9.90")

EXTERNAL DIMS:
38.7 x 39.4 x 26 cm
(15.25" x 15.50" x 10.22")

LID/BOTTOM DEPTH:
8.1 cm / 16 cm (3.20" / 6.30")

WEIGHT:
4.65 kg (10.25 lbs) WITH FOAM
3.63 kg (8 lbs.) NO FOAM



iM2300 STORM CASE Similarly sized Peli Case: 1500

INTERNAL DIMS:
43.2 x 29.7 x 15.7 cm
(17.00" x 11.70" x 6.20")

EXTERNAL DIMS:
46.2 x 34 x 17 cm
(18.20" x 13.40" x 6.70")

LID/BOTTOM DEPTH:
5.1 cm / 10.7 cm (2.00" / 4.20")

WEIGHT:
3.22 kg (7.1 lbs.) WITH FOAM
2.68 kg (5.9 lbs.) NO FOAM



iM2075 Similarly sized Peli Case: 1300

INTERNAL DIMS:
24.1 x 19 x 18.4 cm
(9.50" x 7.50" x 7.25")

EXTERNAL DIMS:
30 x 24.9 x 19.6 cm
(11.80" x 9.80" x 7.70")

LID/BOTTOM DEPTH:
3.8 cm / 14.6 cm (1.50" / 5.75")

WEIGHT:
1.68 kg (3.7 lbs.) WITH FOAM
1.5 kg (3.3 lbs.) NO FOAM



iM2100 Similarly sized Peli Case: 1400

INTERNAL DIMS:
33 x 23.4 x 15.2 cm
(13.00" x 9.20" x 6.00")

EXTERNAL DIMS:
36.1 x 28.9 x 16.5 cm
(14.20" x 11.40" x 6.50")

LID/BOTTOM DEPTH:
5.1 cm / 10.2 cm (2.00" / 4.00")

WEIGHT:
2.22 kg (4.9 lbs.) WITH FOAM
1.91 kg (4.2 lbs.) NO FOAM



iM2306 STORM CASE

INTERNAL DIMS:
43.2 x 16 x 15.7 cm
(17.00" x 6.30" x 6.20")

EXTERNAL DIMS:
46.2 x 21.3 x 17 cm
(18.20" x 8.40" x 6.70")

LID/BOTTOM DEPTH:
5.1 cm / 10.7 cm (2.00" / 4.20")

WEIGHT:
2.13 kg (4.7 lbs.) WITH FOAM
1.95 kg (4.3 lbs.) NO FOAM



iM2370 STORM LAPTOP CASE

INTERNAL DIMS:
46.2 x 30.7 x 13.2 cm
(18.20" x 12.10" x 5.20")

EXTERNAL DIMS:
50.8 x 37.3 x 14.7 cm
(20.00" x 14.70" x 5.80")

LID/BOTTOM DEPTH:
4.3 cm / 8.9 cm (1.70" / 3.50")

WEIGHT:
3.27 kg (7.2 lbs.) WITH FOAM
2.59 kg (5.7 lbs.) NO FOAM



CASE CONTENTS NOT INCLUDED

CASE CONTENTS NOT INCLUDED

PELI STORM SMALL CASES

PELI STORM MEDIUM CASES



PELI™ STORM

LARGE CASES

In the lab or out in the field, a large Pelican™ Storm Case™ with HPX™ resin construction stores and protects valuable and sensitive equipment from the elements. Pick N Pluck™ foam adds extra protection from shock during transport.

iM2400 STORM CASE Similarly sized Pelican Case: 1520

INTERNAL DIMS:
45.7 x 33 x 17 cm
(18.00" x 13.00" x 6.70")

EXTERNAL DIMS:
48.7 x 38.6 x 18.5 cm
(19.20" x 15.20" x 7.30")

LID/BOTTOM DEPTH:
5.1 cm / 11.9 cm (2.00" / 4.70")

WEIGHT:
3.54 kg (7.8 lbs.) WITH FOAM
2.95 kg (6.5 lbs.) NO FOAM



iM2435 STORM CASE

INTERNAL DIMS:
44.4 x 16.5 x 39.4 cm
(17.50" x 6.50" x 15.50")

EXTERNAL DIMS:
47.3 x 23.5 x 41.9 cm
(18.63" x 9.25" x 16.50")

LID/BOTTOM DEPTH:
5.1 cm / 34.3 cm
(2.00" / 13.50")

WEIGHT:
5.06 kg (11.15 lbs.) WITH FOAM
4.54 kg (10 lbs.) NO FOAM



iM2450 STORM CASE

INTERNAL DIMS:
45.7 x 33 x 21.3 cm
(18.00" x 13.00" x 8.40")

EXTERNAL DIMS:
48.7 x 38.6 x 22.9 cm
(19.20" x 15.20" x 9.00")

LID/BOTTOM DEPTH:
5.1 cm / 16.2 cm (2.00" / 6.40")

WEIGHT:
4.04 kg (8.9 lbs.) WITH FOAM
3.36 kg (7.4 lbs.) NO FOAM



iM2500 STORM CASE Similarly sized Pelican Case: 1510

INTERNAL DIMS:
52 x 29.2 x 18.3 cm
(20.50" x 11.50" x 7.20")

EXTERNAL DIMS:
55.1 x 35.8 x 22.6 cm
(21.70" x 14.10" x 8.90")

LID/BOTTOM DEPTH:
5.1 cm / 13.2 cm (2.00" / 5.20")

WEIGHT:
6.21 kg (13.7 lbs.) WITH FOAM
5.03 kg (11.1 lbs.) NO FOAM



iM2700 STORM CASE Similarly sized Pelican Case: 1600

INTERNAL DIMS:
55.9 x 43.2 x 20.3 cm
(22.00" x 17.00" x 8.00")

EXTERNAL DIMS:
62.5 x 50 x 21.8 cm
(24.60" x 19.70" x 8.60")

LID/BOTTOM DEPTH:
5.1 cm / 15.2 cm
(2.00" / 6.00")

WEIGHT:
6.53 kg (14.4 lbs.) WITH FOAM
5.03 kg (11.1 lbs.) NO FOAM



iM2720 STORM CASE Similarly sized Pelican Case: 1610

INTERNAL DIMS:
55.9 x 43.2 x 25.4 cm
(22.00" x 17.00" x 10.00")

EXTERNAL DIMS:
62.5 x 50 x 29.7 cm
(24.60" x 19.70" x 11.70")

LID/BOTTOM DEPTH:
5.1 cm / 20.3 cm
(2.00" / 8.00")

WEIGHT:
9.98 kg (22 lbs.) WITH FOAM
7.62 kg (16.8 lbs.) NO FOAM



iM2600 STORM CASE Similarly sized Pelican Case: 1550

INTERNAL DIMS:
50.8 x 35.5 x 19.6 cm
(20.00" x 14.00" x 7.70")

EXTERNAL DIMS:
53.8 x 40.6 x 21.1 cm
(21.20" x 16.00" x 8.30")

LID/BOTTOM DEPTH:
5.1 cm / 14.5 cm (2.00" / 5.70")

WEIGHT:
5.26 kg (11.6 lbs.) WITH FOAM
3.86 kg (8.5 lbs.) NO FOAM



iM2620 STORM CASE

INTERNAL DIMS:
50.8 x 35.5 x 25.4 cm
(20.00" x 14.00" x 10.00")

EXTERNAL DIMS:
53.8 x 40.6 x 26.9 cm
(21.20" x 16.00" x 10.60")

LID/BOTTOM DEPTH:
5.1 cm / 20.3 cm (2.00" / 8.00")

WEIGHT:
6.58 kg (14.5 lbs.) WITH FOAM
5.67 kg (12.5 lbs.) NO FOAM



iM2750 STORM CASE Similarly sized Pelican Case: 1620

INTERNAL DIMS:
55.9 x 43.2 x 32.2 cm
(22.00" x 17.00" x 12.70")

EXTERNAL DIMS:
62.5 x 50 x 36.6 cm
(24.60" x 19.70" x 14.40")

LID/BOTTOM DEPTH:
5.1 cm / 27.2 cm
(2.00" / 10.70")

WEIGHT:
10.61 kg (23.4 lbs.) WITH FOAM
8.39 kg (18.5 lbs.) NO FOAM



iM2875 STORM CASE

INTERNAL DIMS:
57.1 x 53.6 x 28.9 cm
(22.50" x 21.10" x 11.40")

EXTERNAL DIMS:
63.2 x 60.2 x 33.3 cm
(24.90" x 23.70" x 13.10")

LID/BOTTOM DEPTH:
5.1 cm / 23.9 cm (2.00" / 9.40")

WEIGHT:
11.16 kg (24.6 lbs.) WITH FOAM
9.12 kg (20.1 lbs.) NO FOAM



iM2950 STORM CASE Similarly sized Pelican Case: 1650

INTERNAL DIMS:
73.6 x 45.7 x 26.7 cm
(29.00" x 18.00" x 10.50")

EXTERNAL DIMS:
79.5 x 51.8 x 31 cm
(31.30" x 20.40" x 12.20")

LID/BOTTOM DEPTH:
5.1 cm / 21.6 cm (2.00" / 8.50")

WEIGHT:
13.02 kg (28.7 lbs.) WITH FOAM
9.43 kg (20.8 lbs.) NO FOAM



iM2975 STORM CASE

INTERNAL DIMS:
73.6 x 45.7 x 35 cm
(29.00" x 18.00" x 13.80")

EXTERNAL DIMS:
79.5 x 51.8 x 39.4 cm
(31.30" x 20.40" x 15.50")

LID/BOTTOM DEPTH:
5.1 cm / 30 cm
(2.00" / 11.80")

WEIGHT:
13.38 kg (29.5 lbs.) WITH FOAM
10.34 kg (22.8 lbs.) NO FOAM



PELICAN MEDIUM CASES

PELICAN LARGE CASES



TUNISIA RUINS SAVED

At remote ancient Roman ruins working on time-lapse astrophotography, packing the car at 04:00 am. A little later on a winding country road I notice that the rear trunk door is open and my iM2370 is gone! OMG. Driving back, looking left and right off the road to see the case (with all the production data and equipment worth 15K Euro). Soon after the gate lays the case, flat on the dirt road. Scratched and dusty, but it's a Pelican case. Nothing damaged inside, of course. The production is safe again, with 3 TB of irreplaceable data, stored inside that Pelican™ Storm Case™ iM2370.

Christoph Malin, Astrophotographer

SURVIVAL + STORIES

CASE CONTENTS NOT INCLUDED

CASE CONTENTS NOT INCLUDED

iM3075 STORM CASE

INTERNAL DIMS:
75.7 x 52.8 x 45.2 cm
(29.80" x 20.80" x 17.80")

EXTERNAL DIMS:
84.5 x 62 x 49 cm
(33.30" x 24.40" x 19.30")

LID/BOTTOM DEPTH:
10.2 cm / 34.9 cm
(4.00" / 13.75")

WEIGHT:
20.41 kg (45 lbs.) WITH FOAM
14.29 kg (31.5 lbs.) NO FOAM



iM3100 STORM CASE Similarly sized Peli Case: 1700

INTERNAL DIMS:
92.7 x 35.5 x 15.2 cm
(36.50" x 14.00" x 6.00")

EXTERNAL DIMS:
101.1 x 41.9 x 17 cm
(39.80" x 16.50" x 6.70")

LID/BOTTOM DEPTH:
5.1 cm / 10.2 cm
(2.00" / 4.00")

WEIGHT:
8.98 kg (19.8 lbs.) WITH FOAM
6.89 kg (15.2 lbs.) NO FOAM



iM3200 STORM CASE Similarly sized Peli Case: 1720

INTERNAL DIMS:
111.7 x 35.5 x 15.2 cm
(44.00" x 14.00" x 6.00")

EXTERNAL DIMS:
119.8 x 41.9 x 17 cm
(47.20" x 16.50" x 6.70")

LID/BOTTOM DEPTH:
5.1 cm / 10.2 cm
(2.00" / 4.00")

WEIGHT:
9.57 kg (21.1 lbs.) WITH FOAM
8.03 kg (17.7 lbs.) NO FOAM



iM3220 STORM CASE

INTERNAL DIMS:
111.7 x 35.5 x 21.6 cm
(44.00" x 14.00" x 8.50")

EXTERNAL DIMS:
119.8 x 41.9 x 23.4 cm
(47.20" x 16.50" x 9.20")

LID/BOTTOM DEPTH:
5.1 cm / 16.5 cm
(2.00" / 6.50")

WEIGHT:
11.25 kg (24.8 lbs.) WITH FOAM
9.25 kg (20.4 lbs.) NO FOAM



iM3300 STORM CASE Similarly sized Peli Case: 1750

INTERNAL DIMS:
128.2 x 35.5 x 15.2 cm
(50.50" x 14.00" x 6.00")

EXTERNAL DIMS:
136.6 x 41.9 x 17 cm
(53.80" x 16.50" x 6.70")

LID/BOTTOM DEPTH:
5.1 cm / 10.2 cm
(2.00" / 4.00")

WEIGHT:
10.43 kg (23 lbs.) WITH FOAM
8.66 kg (19.1 lbs.) NO FOAM



iM3410 STORM CASE

INTERNAL DIMS:
138.4 x 25.4 x 15.2 cm
(54.50" x 10.00" x 6.00")

EXTERNAL DIMS:
146.6 x 32.3 x 16.9 cm
(57.74" x 12.71" x 6.67")

LID/BOTTOM DEPTH:
5.1 cm / 10.2 cm (2" / 4")

WEIGHT:
9.1 kg (20 lbs) WITH FOAM
8.2 kg (18 lbs) NO FOAM



PELI STORM CASE SPECIFICATIONS AND FEATURES

	CAT. NO.	INTERIOR DIMENSIONS (cm)	EXTERIOR DIMENSIONS (cm)	LID DEPTH	CASE DEPTH	WEIGHT WITH FOAM	WEIGHT WITHOUT FOAM	BUOYANCY MAXIMUM	TEMPERATURE	COLOURS
SMALL CASES	iM2050	24.1 x 19 x 10.8	30 x 24.9 x 11.9	3.8 cm	7 cm	1.36 kg	1.22 kg	7.57 kg	-29 / 60° C	■ ■ ■
	iM2075	24.1 x 19 x 18.4	30 x 24.9 x 19.6	3.8 cm	14.6 cm	1.68 kg	1.5 kg	12.9 kg	-29 / 60° C	■ ■ ■
	iM2100	33 x 23.4 x 15.2	36.1 x 28.9 x 16.5	5.1 cm	10.2 cm	2.22 kg	1.91 kg	15.34 kg	-29 / 60° C	■ ■ ■
MEDIUM CASES	iM2200	38.1 x 26.7 x 15.2	41.1 x 32.2 x 16.8	5.1 cm	10.2 cm	2.77 kg	2.22 kg	20.03 kg	-29 / 60° C	■ ■ ■
	iM2275	35.9 x 33.5 x 25.1	38.7 x 39.4 x 26	8.1 cm	16 cm	4.65 kg	3.63 kg	31.2 kg	-29 / 60° C	■ ■ ■
	iM2300	43.2 x 29.7 x 15.7	46.2 x 34 x 17	5.1 cm	10.7 cm	3.22 kg	2.68 kg	24.15 kg	-29 / 60° C	■ ■ ■
	iM2306	43.2 x 16 x 15.7	46.2 x 21.3 x 17	5.1 cm	10.7 cm	2.13 kg	1.95 kg	14.84 kg	-29 / 60° C	■ ■ ■
	iM2370	46.2 x 30.7 x 13.2	50.8 x 37.3 x 14.7	4.3 cm	8.9 cm	3.27 kg	2.59 kg	25.68 kg	-29 / 60° C	■ ■ ■
	iM2400	45.7 x 33 x 17	48.7 x 38.6 x 18.5	5.1 cm	11.9 cm	3.54 kg	2.95 kg	31.96 kg	-29 / 60° C	■ ■ ■
	iM2435	44.4 x 16.5 x 39.4	47.3 x 23.5 x 41.9	5.1 cm	34.3 cm	5.06 kg	4.54 kg	31.98 kg	-29 / 60° C	■ ■ ■
	iM2450	45.7 x 33 x 21.3	48.7 x 38.6 x 22.9	5.1 cm	16.2 cm	4.04 kg	3.36 kg	28.86 kg	-29 / 60° C	■ ■ ■
	iM2500	52 x 29.2 x 18.3	55.1 x 35.8 x 22.6	5.1 cm	13.2 cm	6.21 kg	5.03 kg	39.64 kg	-29 / 60° C	■ ■ ■
	iM2600	50.8 x 35.5 x 19.6	53.8 x 40.6 x 21.1	5.1 cm	14.5 cm	5.26 kg	3.86 kg	42.28 kg	-29 / 60° C	■ ■ ■
LARGE CASES	iM2620	50.8 x 35.5 x 25.4	53.8 x 40.6 x 26.9	5.1 cm	20.3 cm	6.58 kg	5.67 kg	58.93 kg	-29 / 60° C	■ ■ ■
	iM2700	55.9 x 43.2 x 20.3	62.5 x 50 x 21.8	5.1 cm	15.2 cm	6.53 kg	5.03 kg	63.27 kg	-29 / 60° C	■ ■ ■
	iM2720	55.9 x 43.2 x 25.4	62.5 x 50 x 29.7	5.1 cm	20.3 cm	9.98 kg	7.62 kg	85.3 kg	-29 / 60° C	■ ■ ■
	iM2750	55.9 x 43.2 x 32.2	62.5 x 50 x 36.6	5.1 cm	27.2 cm	10.61 kg	8.39 kg	105.97 kg	-29 / 60° C	■ ■ ■
	iM2875	57.1 x 53.6 x 28.9	63.2 x 60.2 x 33.3	5.1 cm	23.9 cm	11.16 kg	9.12 kg	117.58 kg	-29 / 60° C	■ ■ ■
	iM2950	73.6 x 45.7 x 26.7	79.5 x 51.8 x 31	5.1 cm	21.6 cm	13.02 kg	9.43 kg	118.23 kg	-29 / 60° C	■ ■ ■
	iM2975	73.6 x 45.7 x 35	79.5 x 51.8 x 39.4	5.1 cm	30 cm	13.38 kg	10.34 kg	150.94 kg	-29 / 60° C	■ ■ ■
	iM3075	75.7 x 52.8 x 45.2	84.5 x 62 x 49	10.2 cm	34.9 cm	20.41 kg	14.29 kg	240.81 kg	-29 / 60° C	■ ■ ■
	iM3100	92.7 x 35.5 x 15.2	101.1 x 41.9 x 17	5.1 cm	10.2 cm	8.98 kg	6.89 kg	64.67 kg	-29 / 60° C	■ ■ ■
	iM3200	111.7 x 35.5 x 15.2	119.8 x 41.9 x 17	5.1 cm	10.2 cm	9.57 kg	8.03 kg	77.48 kg	-29 / 60° C	■ ■ ■
iM3220	111.7 x 35.5 x 21.6	119.8 x 41.9 x 23.4	5.1 cm	16.5 cm	11.25 kg	9.25 kg	108.17 kg	-29 / 60° C	■ ■ ■	
iM3300	128.2 x 35.5 x 15.2	136.6 x 41.9 x 17	5.1 cm	10.2 cm	10.43 kg	8.66 kg	88.85 kg	-29 / 60° C	■ ■ ■	
iM3410	138.4 x 25.4 x 15.2	146.6 x 32.3 x 16.9	5.1 cm	10.2 cm	9.1 kg	8.2 kg	N/A	-29 / 60° C	■ ■ ■	

The following certificates apply to all Peli™ Storm Cases: MIL-STD-810F, FED-STD-101C, ATA 300

CASE CONTENTS NOT INCLUDED

CASE ACCESSORIES



Lid Organisers Replacement Foam Padded Dividers Trekpak™ Dividers Shoulder Straps

From lid organisers and padded shoulder straps, to TSA Locks and humidity indicators, Peli™ offers a broad range of case accessories.

Refer to www.peli.com for specific accessories available for each case model



TSA Lock Peli Desiccant (Silica Gel) Utility Organiser Bezel Kit Lid Stays